PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

733 Series | 1080p DLP® HDTV

Models: WD-57733 | WD-65733 | WD-73733

WD-57733 Shown
Cabinet Color: Platinum Black

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and its exclusive 6-Color Light Engine.™ x.v.Color™ is the new standard for HDTV and it enables 80% more color than standard HDTV! Mitsubishi's 6-Color Light Engine™ processes and produces images with six different colors instead of the traditional three to display a wider range of colors, brighter colors and whiter whites. Additional color features such as Color 4D Noise Reduction and PerfectColor™ allow for additional advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. These 733 Series 57", 65" and 73" 1080p DLP® HDTVs feature Mitsubishi's unique TurboLight180™ lamp system and Plush1080p® processing for both unsurpassed detail in over 2 million pixels and for bright, vibrant images. The stunning High Definition picture is further enhanced by its sleek and modern look. Mitsubishi's sleek, simple design provides more picture with less frame. This year even the 73" 1080p DLP® HDTV gets a thin frame, and a dramatically thinner cabinet. With 1080p and a compact cabinet, get a larger screen and sit closer than ever before! Go ahead and get into the action, immerse yourself…

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and 2 rear component inputs for maximum HD connectivity. A Front Component Video Input allows you to easily connect an HD game system or other HD component. Additionally, a USB input for up to 5 Mega Pixel pictures connects you to large screen digital photo viewing. And Mitsubishi's Easy Connect™ makes set-up and operation so easy.

Get the Perfect Picture Every Time

- 1080p DLP® Display
- Mitsubishi Exclusive 6-Color Light Engine™
- x.v.Color™
- Deep Color
- TurboLight180™
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- Easy Connect™
- Front USB Input (5 Mega Pixel Photo)
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Front Component Video Input
- 2 Rear Component Inputs
- Partially-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

733 Series | 1080p DLP® HDTV

Models: WD-57733 | WD-65733 | WD-73733

Model	WD-57733	WD-65733	WD-73733
Screen Size	57-inch	65-inch	73-inch
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)	16:9 (widescreen)
Height (Physical)	35.0″	39.5″	43.6″
Width (Physical)	51.3″	58.2″	65.2″
Depth (Physical) w/o foot	13.9″	15.4″	17.5″
Height On Base	53.1″	57.6″	61.7″
Weight (Physical)	62.3 lbs.	78.0 lbs.	92.4 lbs.
Power Consumption			
Operating	260 Watts	260 Watts	260 Watts
Standby	< 15 Watts	< 15 Watts	< 15 Watts
Low Standby	< 2 Watts	< 2 Watts	< 2 Watts

WD-57733 shown on optional base

Backpanel



Optical System	
Display Type	1080p DLP®
Mitsubishi Exclusive Light Engine	6-Color
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Lamp Power	180 Watts
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
User Controls	
Easy Connect™	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Front Component Video Input	1
Rear Component Video Inputs (480i/480P/720P/1080i)	2
Rear A/V Inputs with S-Video	2
Front USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
Rear HDMI™ 1.3 Inputs	3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
Remote Control	
Remote Control	Partially-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes

*TV and some PC displays have standard overscan.
Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document.
DLP and the DLP logo are registered trademarks of Texas Instruments. Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. "x.v.Color" and "x.v.Color" logo are trademarks of Sony Corporation. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.
© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

734 Series | 1080p DLP® HDTV

Models: WD-57734 | WD-65734 | WD-73734

WD-57734 Shown
Cabinet Color: Platinum Black
Accent: Brushed Black Metallic

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and its exclusive 6-Color Light Engine.™ x.v.Color™ is the new standard for HDTV color and it enables 80% more color than standard HDTV! Mitsubishi's 6-Color Light Engine™ processes and produces images with six different colors instead of the traditional three to display a wider range of colors, brighter colors and whiter whites. Additional color features such as Color 4D Video Noise Reduction, PerfectColor™ and PerfecTint™ allow for additional advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. These 734 Series 57", 65" and 73" 1080p DLP® HDTVs feature Mitsubishi's unique TurboLight180™ lamp system and Plush1080p® processing for both unsurpassed detail in over 2 million pixels and for bright, vibrant images. The stunning High Definition picture is further enhanced by its sleek and modern look. Mitsubishi's sleek, simple design in Platinum Black provides more picture with less frame. This year even the 73" 1080p DLP® HDTV gets a thin frame, and a dramatically thinner cabinet. With 1080p and a compact cabinet, get a larger screen and sit closer than ever before! Go ahead and get into the action, immerse yourself…

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and 2 rear component inputs for maximum HD connectivity. Both a front HDMI™ 1.3 input and Front Component Video Input allow you to easily connect your favorite HD game system. Additionally, a USB input for up to 5 Mega Pixel pictures connects you to large screen digital photo viewing. And Mitsubishi's Easy Connect™ along with NetCommand® make set-up and single remote operation of all your AV components so easy.

Get the Perfect Picture Every Time

- 1080p DLP® Display
- Mitsubishi Exclusive 6-Color Light Engine™
- x.v.Color™
- Deep Color
- TurboLight180™
- Dark Detailer™
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- PerfecTint™
- DeepField™ Imager
- SharpEdge™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- Easy Connect™
- NetCommand®
- Front USB Input (5 Mega Pixel Photo)
- Front HDMI™ 1.3 Input
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Front Component Video Input
- 2 Rear Component Inputs
- Partially-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

734 Series | 1080p DLP® HDTV

Models: WD-57734 | WD-65734 | WD-73734

Model	WD-57734	WD-65734	WD-73734
Screen Size	57-inch	65-inch	73-inch
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)	16:9 (widescreen)
Height (Physical)	35.0″	39.5″	43.6″
Width (Physical)	51.3″	58.2″	65.2″
Depth (Physical) w/o foot	13.9″	15.4″	17.5″
Height On Base	53.1″	57.6″	61.7″
Weight (Physical)	62.3 lbs.	78.0 lbs.	92.4 lbs.
Power Consumption			
Operating	265 Watts	265 Watts	265 Watts
Standby	< 15 Watts	< 15 Watts	< 15 Watts
Low Standby	< 2 Watts	< 2 Watts	< 2 Watts

WD-57734 shown on optional base

Backpanel



Optical System	
Display Type	1080p DLP®
Mitsubishi Exclusive Light Engine	6-Color
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Lamp Power	180 Watts
Dynamic Contrast	Dark Detailer™
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
PerfecTint™	Yes
DeepField™ Imager	Yes
SharpEdge™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
User Controls	
Easy Connect™	Yes
NetCommand®	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Front Component Video Input	1
Rear Component Video Inputs (480i/480P/720P/1080i)	2
Rear A/V Inputs with S-Video	2
Front USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
Front HDMI™ 1.3 Inputs	1
Rear HDMI™ 1.3 Inputs	3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
NetCommand® IR Emitter	1
Remote Control	
Remote Control	Partially-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes

*TV and some PC displays have standard overscan.
Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document.
DLP and the DLP logo are registered trademarks of Texas Instruments. Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. "x.v.Color" and "x.v.Color" logo are trademarks of Sony Corporation. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.
© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

DIAMOND | 1080P DLP® HDTV

MODELS: WD-57833 | WD-65833 | WD-73833

WD-57833 Shown
Cabinet Color: Black Pearl (High Gloss)
Accent: Blue Light

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and its exclusive 6-Color Light Engine.™ x.v.Color is the new standard for HDTV and it enables 80% more color than standard HDTV! Mitsubishi's 6-Color Light Engine™ processes and produces images with six different colors instead of the traditional three to display a wider range of colors, brighter colors and whiter whites. Additional color features such as Color 4D Noise Reduction, PerfectColor™ and PerfecTint™ allow for additional advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. These 833 Series Diamond 57", 65" and 73" 1080p DLP® HDTVs feature Mitsubishi's unique TurboLight180™ lamp system and Plush1080p® processing for both unsurpassed detail in over 2 million pixels and for bright, vibrant images. Mitsubishi's Smooth120Hz™ minimizes motion blur especially in fast moving action scenes. The Diamond's stunning High Definition picture is further enhanced by its sleek and modern look finished in black pearl. Mitsubishi's compact, simple design provides more picture with less frame. This year even the 73" Diamond 1080p DLP® HDTV gets a thin frame, and a dramatically thinner cabinet. With 1080p and a compact cabinet, get a larger screen and sit closer than ever before! Go ahead and get into the action, immerse yourself…

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and 2 rear component inputs for maximum HD connectivity. Both a front HDMI™ 1.3 input and a Front Component Video Input allow you to easily connect your favorite HD game system. Additionally, a FireWire® interface and a USB Input for up to 5 Mega Pixel pictures connect you to more HD components than ever before. And Mitsubishi's Easy Connect™ along with NetCommand® make set-up and single remote operation of all your AV components so easy.

Get the Perfect Picture Every Time

- 1080p DLP® Display
- Mitsubishi Exclusive 6-Color Light Engine™
- x.v.Color™
- Deep Color
- TurboLight180™
- Dark Detailer™
- Smooth120Hz™
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- PerfecTint™
- DeepField™ Imager
- SharpEdge™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- TV Guide On Screen® 9.0
- Easy Connect™
- NetCommand®
- Game FX
- Front USB Input (5 Mega Pixel Photo)
- Front HDMI™ 1.3 Input
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Front Component Video Input
- 2 Rear Component Inputs
- IEEE 1394 (Playback and Record)
- RS-232C
- Fully-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

DIAMOND | 1080p DLP® HDTV

MODELS: WD-57833 | WD-65833 | WD-73833

Model	WD-57833	WD-65833	WD-73833
Screen Size	57-inch	65-inch	73-inch
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)	16:9 (widescreen)
Height (Physical)	35.0″	39.5″	43.6″
Width (Physical)	51.3″	58.2″	65.2″
Depth (Physical) w/o feet	13.9″	15.4″	17.5″
Weight (Physical)	62.3 lbs.	78.0 lbs.	92.4 lbs.
Power Consumption			
Operating	275 Watts	275 Watts	275 Watts
Standby	< 25 Watts	< 25 Watts	< 25 Watts
Low Standby	< 2 Watts	< 2 Watts	< 2 Watts

WD-57833 shown on stand by Techcraft Manufacturing, sold separately**

Backpanel



Optical System	
Display Type	1080p DLP®
Mitsubishi Exclusive Light Engine	6-Color
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Lamp Power	180 Watts
Dynamic Contrast	Dark Detailer™
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
PerfecTint™	Yes
DeepField™ Imager	Yes
SharpEdge™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
Smooth120Hz™	Yes
User Controls	
TV Guide On Screen®	Yes
Easy Connect™	Yes
NetCommand®	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Split Screen (with external second source)	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Front Component Video Input	1
Rear Component Video Inputs (480i/480P/720P/1080i)	2
Rear A/V Inputs with S-Video	2
Front USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
Front HDMI™ 1.3 Inputs	1
Rear HDMI™ 1.3 Inputs	3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
Record A/V Output	1
NetCommand®	1
Game FX IR Emitter	1
Remote Control	
Remote Control	Fully-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes
RS-232C	Yes

*TV and some PC displays have standard overscan. ** Mitsubishi does not design, manufacture or sell matching bases for models WD-57833, WD-65833 or WD-73833. When selecting a stand, base or other furniture to support the TV, please make sure it is designed with the appropriate dimensions for stability and to support the TV's total weight as well as the weight of any additional equipment you plan to store.

Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document. DLP and the DLP logo are registered trademarks of Texas Instruments. Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. "x.v.Color" and "x.v.Color" logo are trademarks of Sony Corporation. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.

© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

133 Series | 1080p LCD Flat Panel HDTV

Models: LT-40133 | LT-46133 | LT-52133

LT-46133 Shown
Cabinet Color: Platinum Black
Accent: Platinum Metallic

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and Mitsubishi's Full Spectrum Color™. x.v.Color™ is the new standard for HDTV and it enables 80% more color than standard HDTV! Mitsubishi's Full Spectrum Color™ results in 25% more color than standard LCD. Reds and Yellows become more vivid and there are more available shades of Green, Cyan and Blue resulting in a more vivid and more realistic image. Additional color features such as Color 4D Noise Reduction and PerfectColor™ allow for advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. These 133 Series 40", 46" and 52" 1080p LCD Flat Panel HDTVs feature Mitsubishi's Plush1080p® processing for unsurpassed detail in over 2 million pixels from every source. With its super thin frame, high quality hidden speakers and its ultra-compact design, the 133 series lets you get a larger screen in less space than ever before! Go ahead and get into the action, immerse yourself.

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and 2 rear component inputs for maximum HD connectivity. Additionally, a USB Input for up to 5 Mega Pixel pictures allow for easy large screen digital photo viewing. And Mitsubishi's Easy Connect™ makes set-up and operation so easy.

Get the Perfect Picture Every Time

- 1080p LCD Flat Panel Display
- Full Spectrum Color™
- x.v.Color™
- Deep Color
- High Contrast Picture
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- Thin Frame Design
- Easy Connect™
- Side USB Input (5 Mega Pixel Photo)
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Side Component Video Input
- 2 Rear Component Inputs
- Partially-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

133 Series | 1080p LCD Flat Panel HDTV

Models: LT-40133 | LT-46133 | LT-52133

Model	LT-40133	LT-46133	LT-52133
Screen Size	40-inch	46-inch	52-inch
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)	16:9 (widescreen)
Height (Physical) w/o base	23.9″	26.9″	30.4″
Width (Physical)	37.0″	42.3″	48.0″
Depth (Physical) w/o base	5.6″	5.6″	5.7″
Height On Base	26.0″	29.0″	32.4″
Depth On Base	12.6″	12.6″	14.2″
Weight with Base	68.7 lbs.	85.9 lbs.	98.0 lbs.
Power Consumption			
Operating	250 Watts	270 Watts	340 Watts
Standby	< 18 Watts	< 18 Watts	< 18 Watts
Low Standby	< 3 Watts	< 3 Watts	< 3 Watts

LT-46133 Shown

Optical System	
Display Type	1080p LCD
Full Spectrum Color™	Yes
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Frame Refresh Rate	60Hz
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
User Controls	
Easy Connect™	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Side Component Video Input	1
Rear A/V Inputs with S-Video	2
Rear Component Video Inputs 480i, 480p, 720p, 1080i	2
Side USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
HDMI™ 1.3 Inputs, Rear	3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
Remote Control	
Remote Control	Partially-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes

Backpanel





*TV and some PC displays have standard overscan.
Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document.
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.
© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

134 Series | 1080p LCD Flat Panel HDTV

Model: LT-40134

LT-40134 Shown
Cabinet Color: Platinum Black

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and Mitsubishi's Full Spectrum Color™. x.v.Color™ is the new standard for HDTV and it enables 80% more color than standard HDTV! Mitsubishi's Full Spectrum Color™ results in 25% more color than standard LCD. Reds and Yellows become more vivid and there are more available shades of Green, Cyan and Blue resulting in a more vivid and more realistic image. Additional color features such as Color 4D Noise Reduction and PerfectColor™ and PerfecTint™ allow for advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. The LT-40134 40" 1080p LCD Flat Panel HDTV features Mitsubishi's Plush1080p® processing for unsurpassed detail in over two million pixels from every source. With its ultra thin frame, high quality hidden speakers and its ultra-compact design, the LT-40134 lets you get a larger screen in less space than ever before! Go ahead and get into the action, immerse yourself.

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and 2 rear component inputs for maximum HD connectivity. Additionally, a FireWire® interface and a USB Input for up to 5 Mega Pixel pictures allow for easy large screen digital photo viewing. And Mitsubishi's Easy Connect™ along with NetCommand® makes set-up and single remote operation of all your AV components so easy.

Get the Perfect Picture Every Time

- 1080p LCD Flat Panel Display
- Full Spectrum Color™
- x.v.Color™
- Deep Color
- High Contrast Picture
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- PerfecTint™
- DeepField™ Imager
- SharpEdge™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- Thin Frame Design
- TV Guide Daily®
- Easy Connect™
- NetCommand®
- Side USB Input (5 Mega Pixel Photo)
- Side HDMI™ 1.3 Input
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Side Component Video Input
- 2 Rear Component Inputs
- Partially-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

134 Series | 1080p LCD Flat Panel HDTV

Model: LT-40134

Model	LT-40134
Screen Size	40-inch
Aspect Ratio	16:9 (widescreen)
Height (Physical) w/o base	23.9″
Width (Physical)	37.0″
Depth (Physical) w/o base	5.6″
Height On Base	26.0″
Depth On Base	12.6″
Weight with Base	68.7 lbs.
Power Consumption	
Operating	250 Watts
Standby	< 18 Watts
Low Standby	< 3 Watts

LT-40134 Shown

Backpanel





Optical System	
Display Type	1080p LCD
Full Spectrum Color™	Yes
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Frame Refresh Rate	60Hz
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
PerfecTint™	Yes
DeepField™ Imager	Yes
SharpEdge™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
User Controls	
TV Guide Daily®	Yes
Easy Connect™	Yes
NetCommand®	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Side Component Video Input	1
Rear A/V Inputs with S-Video	2
Rear Component Video Inputs 480i, 480p, 720p, 1080i	2
Side USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
Side HDMI™ 1.3 Inputs	1
Rear HDMI™ 1.3 Inputs	3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
NetCommand® IR Emitter	2 Head
Remote Control	
Remote Control	Partially-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes

*TV and some PC displays have standard overscan.
Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document.
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.
© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

144 Series | 1080p LCD Flat Panel HDTV

Models: LT-46144 | LT-52144

LT-46144 Shown
Cabinet Color: Platinum Black

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and Mitsubishi's Full Spectrum Color™. x.v.Color™ is the new standard for HDTV and it enables 80% more color than standard HDTV! Mitsubishi's Full Spectrum Color™ results in 25% more color than standard LCD. Reds and Yellows become more vivid and there are more available shades of Green, Cyan and Blue resulting in a more vivid and more realistic image. Additional color features such as Color 4D Noise Reduction and PerfectColor™ allow for advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. The 144 Series 46" and 52" 1080p LCD Flat Panel HDTVs feature Mitsubishi's Plush1080p® processing for unsurpassed detail in over 2 million pixels from every source. Mitsubishi's Smooth120Hz™ eliminates motion blur especially in fast moving action scenes. With its ultra thin frame, high quality hidden speakers and its ultra-compact design, the 144 Series lets you get a larger screen in less space than ever before! Go ahead and get into the action, immerse yourself.

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and 2 rear component inputs for maximum HD connectivity. Additionally, a FireWire® interface and a USB Input for up to 5 Mega Pixel pictures allow for easy large screen digital photo viewing. And Mitsubishi's Easy Connect™ along with NetCommand® makes set-up and operation so easy.

Get the Perfect Picture Every Time

- 1080p LCD Flat Panel Display
- Full Spectrum Color™
- x.v.Color™
- Deep Color
- High Contrast Picture
- Smooth120Hz™
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- Thin Frame Design
- Easy Connect™
- NetCommand®
- Side USB Input (5 Mega Pixel Photo)
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Side Component Video Input
- 2 Rear Component Inputs
- Partially-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

144 Series | 1080p LCD Flat Panel HDTV

Models: LT-46144 | LT-52144

Model	LT-46144	LT-52144
Screen Size	46-inch	52-inch
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)
Height (Physical) w/o base	26.9″	30.4″
Width (Physical)	42.3″	48.0″
Depth (Physical) w/o base	5.6″	5.7″
Height on Base	29.0″	32.4″
Depth on Base	12.6″	14.2″
Weight	85.9 lbs.	98.0 lbs.
Power Consumption		
Operating	270 Watts	340 Watts
Standby	< 18 Watts	< 18 Watts
Low Standby	< 3 Watts	< 3 Watts

LT-46144 Shown

Optical System	
Display Type	1080p LCD
Full Spectrum Color™	Yes
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Frame Refresh Rate	120Hz
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
Smooth120Hz™	Yes
User Controls	
Easy Connect™	Yes
NetCommand®	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Side Component Video Input	1
Rear A/V Inputs with S-Video	2
Rear Component Video Inputs 480i, 480p, 720p, 1080i	2
Side USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
Rear HDMI™ 1.3 Inputs	3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
NetCommand® IR Emitter	1
Remote Control	
Remote Control	Partially-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes

Backpanel





*TV and some PC displays have standard overscan.
Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document.
Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.
© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

DIAMOND | 1080P LCD FLAT PANEL HDTV

MODELS: LT-46244 | LT-52244

LT-46244 Shown
Cabinet Color: Black Pearl (High Gloss)
Accent: Diamond Blue Light

More color, for a more colorful image. Mitsubishi is taking Color to a new level with x.v.Color™ support and Mitsubishi's Full Spectrum Color.™ x.v.Color™ is the new standard for HDTV and it enables 80% more color than standard HDTV! Mitsubishi's Full Spectrum Color™ results in 25% more color than standard LCD. Reds and Yellows become more vivid and there are more available shades of Green, Cyan and Blue resulting in a more vivid and more realistic image. Additional color features such as Color 4D Noise Reduction and PerfectColor™ and PerfecTint™ allow for advanced color processing and adjustment. The result is breathtaking realism with vivid, yet natural Color Without Compromise.

Larger screen, not larger spaces. The 244 Series 46" and 52" 1080p LCD Flat Panel HDTVs feature Mitsubishi's Plush1080p® processing for both unsurpassed detail in over two million pixels and for bright, vibrant images. Mitsubishi's Smooth120Hz™ minimizes motion blur especially in fast moving scenes. With its ultra thin frame, high quality hidden speakers and its ultra-compact design, the 244 Series lets you get a larger screen in less space than ever before! Go ahead and get into the action, immerse yourself.

Lots of connections, made easy. Mitsubishi leads the industry with 3 rear HDMI™ 1.3 inputs and two rear component inputs for maximum HD connectivity. Both a side HDMI™ 1.3 and side component video inputs allow you to easily connect your favorite HD game system. It is Digital Cable Ready with a CableCARD™ slot and offers TV Guide Daily.® Additionally, a USB input for up to 5 Mega Pixel pictures connect you to more of your life, while Mitsubishi's Easy Connect™ along with NetCommand® makes set-up and operation so easy.

Get the Perfect Picture Every Time

- 1080p LCD Flat Panel Display
- Full Spectrum Color™
- x.v.Color™
- Deep Color
- High Contrast Picture
- Smooth120Hz™
- Plush1080p®
- Tru1080p™ Processing
- Color 4D Video Noise Reduction
- PerfectColor™
- PerfecTint™
- DeepField™ Imager
- SharpEdge™
- Video Modes: Brilliant / Bright / Natural / Game

Watch TV Your Way

- Thin Frame Design
- Digital Cable Ready HDTV with CableCARD™ Slot
- TV Guide Daily®
- Easy Connect™
- NetCommand®
- Side USB Input (5 Mega Pixel Photo)
- Side HDMI™ 1.3 Input
- 3 Rear HDMI™ 1.3 Inputs
- SimplayHD™ Certified HDMI™
- Side Component Video Input
- 2 Rear Component Inputs
- RS-232C Input
- Fully-Illuminated Remote

©2007 Mitsubishi Digital Electronics America, Inc. | www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™

PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY • PRELIMINARY

DIAMOND | 1080P LCD FLAT PANEL HDTV

MODELS: LT-46244 | LT-52244

Model	LT-46244	LT-52244
Screen Size	46-inch	52-inch
Aspect Ratio	16:9 (widescreen)	16:9 (widescreen)
Height (Physical) w/o base	26.9″	30.4″
Width (Physical)	42.3″	48.0″
Depth (Physical) w/o base	5.6″	5.7″
Height on Base	29.0″	32.4″
Depth on Base	12.6″	14.2″
Weight (Physical)	85.9 lbs.	98.0 lbs.
Power Consumption		
Operating	270 Watts	340 Watts
Standby	< 18 Watts	< 18 Watts
Low Standby	< 3 Watts	< 3 Watts

LT-46244 Shown

Backpanel



Optical System	
Display Type	1080p LCD
Full Spectrum Color™	Yes
Pixel Resolution (horizontal x vertical*)	1920 x 1080
Frame Refresh Rate	120Hz
Video Performance	
Video Format Conversion	Plush1080p®
x.v.Color™	Yes
Deep Color	Yes
PerfectColor™	Yes
PerfecTint™	Yes
DeepField™ Imager	Yes
SharpEdge™	Yes
Video Noise Reduction	Color 4D
Picture Format Modes (4:3 sources)	6
Picture Format Modes (16:9 sources)	2
Smooth120Hz™	Yes
User Controls	
TV Guide Daily®	Yes
Easy Connect™	Yes
NetCommand®	Yes
ChannelView™	Yes
AV Adjustment (memorized by input)	Yes
Color Temperature Control (by input)	High/Low
Video Modes: Brilliant/Bright/Natural/Game	Yes
Full Screen Image Freeze	Yes
Audio	
Internal Loudspeakers	Stereo Full Range
Speaker Size	5 1/2″ x 2 1/4″
Output Power (watts/ch.)	10W x 2
Level Sound (dynamics limiter)	Yes
Digital Output (PCM) for All Analog Sources	Yes
Tuning	
Combined Tuner (Analog/Digital/Cable) In The Clear	1
CableCARD™ Slot	Yes
Antenna (RF) Inputs	2
AV Inputs (Analog with Stereo Audio)	
Side Component Video Input	1
Rear A/V Inputs with S-Video	2
Rear Component Video Inputs 480i, 480p, 720p, 1080i	2
Side USB Input (5 Mega Pixel Photo)	1
Inputs / Outputs (Digital)	
HDMI™ 1.3 Inputs, Side/Rear	1/3
480i, 480p, 720p, 1080i (60Hz)	Yes
1080p (24Hz, 30Hz, 60Hz)	Yes
Digital Audio Output (Dolby® Digital / PCM)	1 (coaxial)
HDMI™ Digital PC Compatibility	
640 x 480, 898 x 480, 800 x 600, 1064 x 600, 1024 x 768, 1280 x 720, 1365 x 768, 1280 x 1024 @ 60Hz	Yes
1920 x 1080 @ 24Hz, 30Hz, 60Hz	Yes
Outputs (Analog)	
Stereo Audio Output	1 (fixed)
NetCommand® IR Emitters	1
Remote Control	
Remote Control	Fully-Illuminated
5 Device Multibrand Illuminated Remote	Yes
Customization Features	
Direct IR Input Selection	Yes
Direct IR Format Selection	Yes
Independent IR Power ON / OFF	Yes
RS-232C	Yes

*TV and some PC displays have standard overscan.
Features, specifications and dimensions are subject to change without notice. Physical appearance of television and matching base may vary slightly from images shown on this document.
CableCARD is a trademark of Cable Television Laboratories, Inc. DLP and the DLP logo are registered trademarks of Texas Instruments. Dolby and Dolby Digital are registered trademarks of Dolby Laboratories. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC. Simplay HD and the Simplay HD logo are trademarks of Silicon Image, Inc.
© 2007 Mitsubishi Digital Electronics America, Inc. www.mitsubishi-tv.com

MITSUBISHI ELECTRIC
DIGITAL TELEVISIONS™